

# Receiving Report

Date: 14-12-10

Batch No: 131078

Supplier: B/E

Dart P/O: 26749

Packing Slip: Yes ☐ No ☐  
 Invoice: Yes ☐ No ☐  
 Receipt: Cash ☐ Cr ☐  
 New Supplier Yes ☐ No ☐

Release Note Attached: Yes ☒ No ☐ N/A ☐  
 Waybill Attached: Yes ☒ No ☐  
 Shipment Complete: Yes ☒ No ☐ N/A ☐  
 QC18 Inspection ☐ N/A ☒  
 Work Order ☐ N/A ☒

## Discrepancies

Part Number	Description	Quantity Ordered	Quantity Rec'd	Quantity Short	Quantity Inspected	Quantity Rejected	Comment / NCR Number

Initials of Receiver

QC12

*[Signature]*

Production/Admin:

Date

Received/Costing

Initial

Location



Dart Aerospace Ltd.  
1270 Aberdeen Street  
Hawkesbury, ON K6A 1K7  
Tel: 613 632 9577  
Fax: 613 632 1053

## PURCHASE ORDER

Purchase Order ID PO26749

Purchase Order Date 12/8/2014

PO Print Date 12/8/2014

Page Number 1 of 2

Order From :

VU-BEA001

Ship To : DART AEROSPACE LTD

B/E AEROSPACE INC  
88289 EXPEDITE WAY  
CHICAGO, IL 33172  
USA

1270 ABERDEEN  
HAWKESBURY, ON K6A 1K7  
CANADA

PAID

Contact Name

Vendor Phone

305-925-2600

Buyer

Chantal Lavoie

Customer POID

Customer Tax #

10127-2607

Ship To Contact

Ship To Phone

Terms

Net 30

Ship Via:

FedEx Overnight collect

Currency

USD

Ship Acct:

FOB

FCA - (Free Carrier)

Line Nbr	Reference Vendor Part Number Line Comments Delivery Comments	Description/ Mfg ID	Req Date/ Taxable Promise Date	CD	Req Qty/ Unit of Measure	PO Unit Price	Extend Pri
1	MS35206-229	Screw	12/9/2014 Yes 12/9/2014		100.00 Each	\$0.15	\$15.
Line Total:							\$15.
2	71401-45	PROCUREMENT QUALITY CLAUSES	12/9/2014 No 12/9/2014		1.00	\$0.00	\$0.
Procurement Quality Clauses							
A005 RIGHT OF ENTRY							
A012 CHEMICAL AND PHYSICAL TEST REPORTS							
A016 PERSONNEL QUALIFICATION							
A026 CERTIFICATION OF MATERIAL CONFORMANCE							
A032 PUBLIC LAW 101-592 FASTENER QUALITY ACT							
A033 STATEMENT OF CONFORMITY/TEST RECORDS							
FOR NAS, AN and MS FASTENERS							
A040 NOTIFICATION OF QUALITY ESCAPE							
A041 QUALITY MANAGEMENT SYSTEM							
A042 DART NOTIFICATION BY SUPPLIER							
A043 RETENTION OF QUALITY DOCUMENT							

SP/4-12-10

Note:

12/8/2014



# B/E Aerospace, Inc.

## CONSUMABLES MANAGEMENT

Tel: +1.305.925.2600 • Fax: +1.305.507.7191 • www.beconsumables.com  
Remit to Address: 88289 Expedite Way, Chicago, IL 60695-0001  
Wire Instructions: B/E Aerospace Consumables Management • JPMorgan Chase Bank New York  
ABA: 021000021 • Account: 304639273 • SWIFT: CHASUS33 • CHIP UID: 0002



INVOICE NUMBER

HXJLYP

PAGE 1 OF 1

SOLD TO:

002409  
DART AEROSPACE LTD  
1270 ABERDEEN ST  
HAWKESBURY, ON  
CANADA K6A 1K7

SHIP TO:

DART AEROSPACE LTD  
1270 ABERDEEN ST  
HAWKESBURY, ON  
CANADA K6A 1K7



ORDER NO. PO26749		DATE 12/08/14	SHIP VIA FEDX INTL P1 COLL		TERMS NET 45	SHIPPING TERMS FOB-MIAMI		
ITEM NO.	QUANTITY ORDERED	PART NUMBER AND DESCRIPTION		PRICE	UNIT	BACK ORDER	SHIPPED	AMOUNT
1	100	MS35206-229 SCREW ECCN :9A991 Country Origin: USA TARIFF: 7318.15.6080 MFR: NORTH EAST FASTENERS CORP CTRL# : 2013J03835 LOT# : 49745 LOT QTY: 100 COUNTRY OF ORIGIN: USA Country of Origin: USA  These commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited.  *** SHIPPED 1 CTN *** # 1=CTN 1# 0 OZ. 624703727085 FREIGHT ACCT# 15179324-0		0.150	EA	0	100	15.00
						SUBTOTAL :		15.00
						HANDLING :		0.00
						DISC/ALL :		0.00
						INCM FRT :		0.00
						FREIGHT :		0.00
						TOTAL :		15.00USD
								U.S. CURRENCY
MATERIAL TO BE RETURNED MUST HAVE PRIOR AUTHORIZATION BY B/E AEROSPACE								

MATERIAL TO BE RETURNED MUST HAVE PRIOR AUTHORIZATION BY B/E AEROSPACE

ALL ITEMS ARE SUBJECT TO A 100% RESTOCKING CHARGE.

SHIPPED FROM: 10000 NW 15 TERRACE, MIAMI, FL 33172



## ORIGINAL INVOICE

BY RECEIVING DELIVERY OF THE ITEMS COVERED BY THIS INVOICE, BUYER AGREES TO THE TERMS AND CONDITIONS OF SALE AT:  
[http://www.beconsumables.com/cm/conditions\\_of\\_sale.cfm](http://www.beconsumables.com/cm/conditions_of_sale.cfm)



# B/E Aerospace, Inc.

Page: 1 of 1

## CONSUMABLES MANAGEMENT

P.O. Box 025263, Miami, FL 33102-5263 • Tel: 305.925.2600 • Fax: 305.507.7191  
Plant Location: 10000 N.W. 15th Terrace, Miami, FL 33172 • SITA: MIAMMCR  
www.beconsumables.com

Shipped From: 10000 NW 15 TERRACE, MIAMI, FL 33172


### Material Certification

The items set forth on the purchase order referred to below have been visually inspected and the dimensions thereof have been measured by us, and based on the aforesaid, as well as the representation made to us by the manufacturers of the items subject of such purchase order, we hereby certify that such items are in conformity with all current governmental and manufacturer's requirements, specifications, drawings, and conform to the purchase order requirements. Said items are in new condition and have not been obtained from any U.S. Government or Military source and are traceable to B/E Aerospace, Inc.

**FIRM: DART AEROSPACE LTD**

**PURCHASE ORDER#: PO26749**

LNE#	QUANTITY	U/M	PART-NUMBER	CUST REF#	LOT-NUMBER	MANUFACTURER	CCODE	MFR DATE	EXP DATE
1	100	EA	MS35206-229		49745	NORTH EAST FASTENERS	07ZNS		

  
Jason Lewis  
Vice President of Quality

12/08/14

Inv # 12/08/14

ISO 9001:2008 & AS 9100



QSLM Level 2/3  
Cage code: 07ZN5



NORTH EAST FASTENERS  
CORPORATION

Telephone:  
(860) 589-3242

Fax:  
(860) 589-6969

Web-Site: [www.NEF1.com](http://www.NEF1.com)  
E-mail: [nef@NEF1.com](mailto:nef@NEF1.com)

# CERTIFICATE OF CONFORMANCE

*This certifies that these fasteners are in conformance to the specifications required for this order and that these fasteners sold by North East Fasteners Corporation were manufactured at 8 Tremco Dr., Terryville, CT 06786 U.S.A.*

Customer Order Information			
Name : B/E Aerospace Consumables Management			
Ship Date: 09/27/2013		NEF Part #: 6320.4375PPMSSTCAYC3	
P.O. #: 0PJR55		Heat #: P-SF24446	
Qty Shipped: 479.200 m		Lot #: 49745	
Descr: 6-32 x 7/16" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416C			
Specifications			
IFI		ISO	
Customer Print	X	DIN	
Metric IFI		JIS	
Other Specifications			
Print # : NASM35206-229 REV 2			
Part # : MS35206-229 REV 2			
Desc :			
Dual :			
This certifies that these fasteners are in conformance with the EU RoHs & WEE Directives.			

Mark Sovia



\* This product has been mfg. in an environment free from contamination by Mercury or any of its compounds.

AS9100/ISO 9001-2008 QSLM Level 2/3 CAGE Code: 07ZN5 website: [www.nef1.com](http://www.nef1.com)



QSLM Level 2/3  
Cage code: 07ZN5

# NEF

**NORTH EAST FASTENERS  
CORPORATION**

Telephone:  
(860)-589-3242  
Fax:  
(860)-589-6969  
Website: [www.nefl.com](http://www.nefl.com)  
e-mail: [nef@nefl.com](mailto:nef@nefl.com)

PO Number: 0PJR55  
Lot Number: 49745  
Heat Number: P-SF24446  
Specs: NASM35206

Date: 09/19/2013  
Lot Size: 550.00

Description: 6-32 x 7/16" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3  
AMS-QQ-P-416C

### Axial Tensile Results

Requirements : 545 Lbs Min

Sample	Ultimate Tensile Strength (Lbs)
1	655
2	666
3	656
4	659
5	650
6	656
7	658
8	650

Joe Longo

Quality Control Manager



All tests listed on this certification have been performed in accordance with the required specifications named above. Calibrations are in accordance with ISO10012-1. The analysis reported on this certification is in accordance with North East Fasteners Quality Manual guidelines and methods.



**Johnstown  
Wire  
Technologies**

124 Laurel Ave,  
Johnstown, PA 15906

Phone: 814-532-5680  
Fax: 814-532-5684

WORK ORDER  
733100

**TEST REPORT**

LOT NUMBER  
P-SF24446

SALES ORDER / RLS  
157236 / 4

SOLD TO

Tru-Spec Metals, Inc.  
21 Commerce Drive  
North Branford, CT 06471  
USA  
Attn: QA Dept




CUSTOMER P.O. P14454	CUSTOMER PART C10221145IPPL	QUANTITY 4,068 LBS	COILS 3	LADING NO 00118198	SHIPMENT DATE 06/25/2013
SPECIFICATION Truspec-5231 Federal Std 66 1022 Aluminum Killed Fine Grain Cold Heading Quality Spheroidize Annealed In Process PHOS & Lube Coated Size: .1145 +.0005 -.0005					
CERTIFICATION REQUIREMENTS					
Chemical					
C .205	Mn .868	P .013	S .002	Si .061	Al .046
Mechanical					
TEST Tensile Str	UNITS Lbs/SqIn	HIGH 67000	LOW 67000	AVERAGE 67000	
Rod / Melt Source					
Country of Origin .So. Korea					
End of Certification					

received  
07-13-13

I certify that the results are a true and correct copy of the records prepared and maintained by JOHNSTOWN WIRE TECHNOLOGIES in compliance with the requirements of the cited specification. Chemistry is as reported by the rod / bar supplier and is not in JWT A2LA accreditation. This test report cannot be reproduced or distributed except in full without the written permission of JOHNSTOWN WIRE TECHNOLOGIES. The test results certified herein relate only to the items tested.

*Daniel J. Mallik*  
Daniel J. Mallik Director of Quality Assurance



New Method Plating Co., Inc.

QUALITY  
MANAGEMENT  
SYSTEM  
ISO 9001:2000  
AS9100 REV. B  
CERTIFIED

Established 1931



43 Hammond St  
Worcester, MA 01610  
Phone 508.754.2671  
Fax 508.754.1981  
www.newmethodplating.com

**CERTIFICATE OF COMPLIANCE**

COMPANY North East Fasteners Corp.

DATE 9/23/13

PO#  
18496

LOT#  
49745

QUANTITY  
550,000

JOB # 6-32 x 7/16 phillips pan MS35206-229-2

CADMIUM PLATED IN ACCORDANCE WITH AMS QQ-P-416C  
Class III Type II (Clear      Yellow X)

Hardness: NA HRC

☒ NO BAKE

☐ Before plating, bake at 375+/-25F for 4 hours. After plating, bake at 375+/-25F for 8 hours.

☐ Before plating, bake at 275+/-25F for 5 hours. After plating, bake at 275+/-25F for 23 hours.

☐ Before plating, bake at 375+/-25F for 4 hours. After plating, bake at 375+/-25F for 23 hours.

**Thickness Test Results**

Accept ☒ Reject ☐ Min.: Spec. .0002 Read .00024 Avg. .00028


**Adhesion Test Results**

Accept ☒ Reject ☐

Inspected by: 

**Certification**

This lot has been processed, sampled, tested, and inspected in accordance with the contract and specification requirements listed above, and the plating and conversion coating complies with those contract and specification requirements. Process control data is on file and is available upon request. We certify that these parts have been processed in a mercury free environment.

Signed: 

Christopher J. Capalbo

Title: Quality Manager

Date: SEP 23 2013